



Women's Perspectives on Family Planning Campaigns in Ghana

Akello Samuel H.

Faculty of Public Administration Kampala International University Uganda

ABSTRACT

This study examines the perception of family planning campaigns among women in Ghana, focusing on their attitudes, beliefs, and behaviors toward family planning initiatives. Utilizing both qualitative and quantitative methods, the research aims to elucidate the factors influencing women's reception of family planning messages and their subsequent decision-making regarding contraceptive use. Through surveys, interviews, and content analysis of campaign materials, the study seeks to provide insights into the effectiveness of existing family planning campaigns and identify potential strategies for improving their impact on women's reproductive health choices. The findings of this research have implications for policy-makers, healthcare providers, and development practitioners seeking to enhance access to and utilization of family planning services in Ghana.

Keywords: Perception, Family planning, Campaigns, Women, Factors

INTRODUCTION

Family planning programs play a crucial role in promoting reproductive health and empowering women to make informed decisions about their fertility [1, 2]. In Ghana, despite significant efforts to increase awareness and access to family planning services, there remain challenges in effectively reaching and engaging women in these initiatives. Understanding women's perceptions of family planning campaigns is essential for tailoring interventions that address their specific needs and preferences [3, 4]. This study seeks to explore the perception of family planning campaigns among women in Ghana, shedding light on the factors shaping their attitudes and behaviors toward contraceptive use. While Ghana has made strides in promoting family planning initiatives, there persists a gap between awareness and utilization of contraceptive methods among women. Despite extensive campaigns advocating for family planning, there are still barriers to uptake, including cultural norms, misconceptions, and limited access to services. Understanding the factors influencing women's perception of family planning campaigns is crucial for addressing these challenges and enhancing the effectiveness of interventions aimed at improving reproductive health outcomes in Ghana [5, 6]. This paper therefore aims to assess the awareness and exposure of women in Ghana to family planning campaigns, as well as the attitudes, beliefs, and cultural perceptions shaping women's perception of family planning initiatives. It will identify barriers hindering women's uptake of family planning services despite exposure to campaigns, and recommend strategies for enhancing the impact of family planning campaigns on women's reproductive health choices in Ghana [7, 8].

The Concept of Family Planning

Awareness and Exposure of Women in Ghana to Family Planning Campaigns

Awareness and exposure to family planning campaigns among women in Ghana are crucial factors influencing their reproductive health choices [9]. Efforts to increase awareness and exposure aim to ensure that women have access to accurate information about contraceptive methods, their benefits, and where to access services. Thus, according to [10], awareness of family planning methods among women in Ghana is high, with 98% of women having heard of at least one contraceptive method. However, despite high awareness levels, there are disparities in knowledge across regions and socio-economic groups, with rural and less educated women often having lower awareness levels. Similarly, exposure to family planning campaigns in Ghana occurs through various channels, including mass media, community outreach programs, and healthcare facilities [10]. The GDHS 2014 indicates that 58% of women aged 15-49 in Ghana have been exposed to family planning messages through radio, television, or newspapers. Additionally, community health workers and family planning clinics play a vital role in disseminating information and promoting contraceptive use at the grassroots level. While there is widespread exposure to family planning campaigns, their effectiveness in influencing contraceptive behavior varies. Studies suggest that exposure to mass media campaigns alone may not be sufficient to change behavior, particularly among marginalized populations. Factors such as cultural beliefs, socio-economic status, and access to services also influence women's decision-making

regarding contraceptive use [11]. Despite efforts to increase awareness and exposure, challenges persist in reaching certain groups of women, including those in remote rural areas and marginalized communities. Moreover, the messaging of family planning campaigns may not always resonate with the cultural norms and beliefs of the target population, leading to skepticism or resistance [12].

Strategies for Improvement:

To enhance awareness and exposure to family planning campaigns among women in Ghana, tailored approaches are needed. This includes utilizing a mix of communication channels, such as community-based interventions, peer education programs, and mobile health initiatives [13]. Additionally, campaigns should address socio-cultural barriers and promote gender-sensitive messaging to empower women to make informed choices about their reproductive health. Awareness and exposure to family planning campaigns are essential for promoting contraceptive uptake and improving reproductive health outcomes among women in Ghana. By addressing barriers to reach and messaging, and adopting targeted strategies, stakeholders can enhance the impact of family planning campaigns and contribute to positive reproductive health behaviors among women across the country [14, 15].

Attitudes and Cultural Perceptions Shaping Women's Perception of Family Planning in Ghana

The attitudes, beliefs, and cultural perceptions of women in Ghana play a significant role in shaping their perception of family planning initiatives [16]. Understanding these factors is crucial for designing effective interventions that address the specific needs and preferences of women in the Ghanaian context [17]. Thus, Ghana is a culturally diverse country with varying beliefs and traditions regarding fertility and family planning. Cultural and religious norms often influence women's attitudes towards contraception, with some communities endorsing large family sizes and viewing contraceptive use as taboo or against religious teachings [18]. For example, in certain regions, there may be a preference for male children, leading to resistance towards contraceptive methods that could limit fertility. Gender roles and power dynamics within relationships can also impact women's ability to make decisions about family planning. In patriarchal societies, men may hold authority over reproductive decisions, leading to limited autonomy for women in choosing contraceptive methods [20]. Women who defy traditional gender roles by seeking family planning services may face stigma or backlash from their communities. Misconceptions and myths surrounding family planning methods are prevalent in Ghana, contributing to hesitancy or refusal to use contraceptives. Common misconceptions include fears of infertility, side effects, and perceptions that contraceptives are harmful to women's health [21]. These beliefs are often rooted in misinformation and lack of access to accurate reproductive health education. Equally, socio-economic factors, such as education level, income, and access to healthcare, also influence women's perception of family planning initiatives [22]. Women with higher levels of education and economic empowerment may be more likely to embrace family planning as a means of achieving their life goals, such as pursuing careers or managing household resources effectively. Trust in healthcare providers and the quality of family planning services is another factor that can significantly impact women's willingness to engage with family planning initiatives [23]. Positive experiences with healthcare providers, including respectful treatment, confidentiality, and access to comprehensive information, can enhance women's confidence in contraceptive methods and encourage uptake [25]. Attitudes, beliefs, and cultural perceptions profoundly shape women's perception of family planning initiatives in Ghana. Addressing these factors requires a multi-dimensional approach that recognizes the diversity of Ghanaian society and the complex interplay of socio-cultural influences on reproductive health decision-making [26].

Barriers Hindering Women's Uptake of Family Planning Services in Ghana

Despite efforts to promote family planning services in Ghana, several barriers persist, hindering women's uptake of these essential healthcare services. Understanding these barriers is critical for developing targeted interventions to improve access and utilization [27].

1. Socio-Cultural Norms and Stigma

Socio-cultural norms and stigma surrounding family planning methods can act as significant barriers to uptake. In some communities, there is a preference for large family sizes, and contraceptive use may be perceived as taboo or against religious teachings. Women who express interest in family planning may face judgment, discrimination, or ostracism from their families or communities [28].

2. Limited Access to Services

Access to family planning services remains limited in many parts of Ghana, particularly in rural and remote areas. Health facilities may be understaffed, poorly equipped, or located far from where women reside. This lack of accessibility prevents women from accessing contraceptives and receiving quality reproductive healthcare services when needed [10].

3. Cost and Affordability

Cost and affordability are significant barriers to family planning uptake, especially for women from low-income households. While family planning services are supposed to be provided free of charge in Ghana, there may still be hidden costs associated with consultations, transportation to health facilities, and purchasing contraceptives from private pharmacies. These financial barriers can deter women from seeking family planning services [10].

4. Limited Knowledge and Education

Lack of knowledge and education about family planning methods and their benefits contribute to low uptake. Many women in Ghana may be unaware of the range of contraceptive options available to them or may hold misconceptions about their safety and effectiveness. Without access to comprehensive reproductive health education, women may be hesitant to initiate or continue using contraceptives [27].

5. Gender Power Dynamics

Gender inequalities and power dynamics within relationships can influence women's ability to make autonomous decisions about their reproductive health. In patriarchal societies, men may control contraceptive use, and women may face resistance or coercion when trying to access family planning services. This lack of agency and autonomy can prevent women from seeking and using contraceptives [29].

6. Fear of Side Effects and Health Concerns

Fear of side effects and health concerns associated with contraceptive methods is another barrier to uptake. Women may have heard stories of adverse reactions or complications from friends or family members, leading to apprehension about using contraceptives themselves. Addressing misconceptions and providing accurate information about contraceptive safety is essential for overcoming this barrier [30]. Multiple barriers hinder women's uptake of family planning services in Ghana, ranging from socio-cultural norms limited access to financial constraints, and lack of education. Addressing these barriers requires a comprehensive approach that involves community engagement, improving healthcare infrastructure, providing affordable services, and promoting gender equity and reproductive health education [31].

Effective Strategies

Tailored Messaging and Outreach: Develop culturally sensitive and gender-responsive messaging that addresses the diverse needs and preferences of women across different regions and socio-economic backgrounds. Utilize local languages, community-based outreach programs, and peer educators to disseminate information and engage women in conversations about family planning [32].

Improving Access to Services: Strengthen the healthcare infrastructure by expanding the availability of family planning services, particularly in rural and underserved areas. This includes increasing the number of trained healthcare providers, ensuring a reliable supply of contraceptives, and establishing mobile clinics to reach remote communities [33].

Addressing Socio-Cultural Barriers: Work with community leaders, religious organizations, and traditional healers to challenge harmful socio-cultural norms and dispel myths and misconceptions about family planning. Conduct community dialogues, participatory workshops, and educational campaigns to promote positive attitudes toward contraceptive use and empower women to make informed decisions about their reproductive health [34].

Promoting Male Involvement: Engage men as partners in family planning initiatives by promoting shared decision-making and mutual respect within relationships. Offer male-focused educational sessions on the benefits of family planning for couples and encourage men to accompany their partners to healthcare facilities for counseling and services [35].

Providing Comprehensive Reproductive Health Education: Integrate comprehensive reproductive health education into school curricula and community programs to ensure that young people receive accurate information about puberty, sexuality, and contraceptive options. Empower women and girls with knowledge about their reproductive rights, contraceptive methods, and how to access healthcare services [36].

Reducing Financial Barriers: Advocate for policies that ensure the affordability and accessibility of family planning services, including the elimination of user fees and subsidies for contraceptives. Explore innovative financing mechanisms, such as community health insurance schemes, to reduce out-of-pocket expenses for women seeking family planning services [37].

Utilizing Digital Health Solutions: Leverage mobile technology and digital platforms to deliver family planning information, counseling, and reminders to women and couples. Develop mobile applications, interactive voice response systems, and social media campaigns to reach a wider audience and provide personalized support for contraceptive users [38].

Monitoring and Evaluation: Implement robust monitoring and evaluation systems to assess the effectiveness of family planning campaigns and interventions. Collect data on key indicators, such as contraceptive prevalence rates, unmet need for family planning, and client satisfaction, to measure progress and identify areas for improvement [39].

CONCLUSION/RECOMMENDATION

By implementing these strategies in a coordinated and collaborative manner, stakeholders can enhance the impact of family planning campaigns on women's reproductive health choices in Ghana, leading to improved health outcomes and greater empowerment for women and girls.

REFERENCES

1. Adongo, P.B., Tapsoba, P., Phillips, J.F. *et al.* The role of community-based health planning and services strategy in involving males in the provision of family planning services: a qualitative study in Southern Ghana. *Reprod Health* **10**, 36 (2013). <https://doi.org/10.1186/1742-4755-10-36>
2. Olofin, Alabi. (2012). Effects of English Language on National Development. *Greener Journal of Social Sciences*. 2. 134-139. 10.15580/GJSS.2012.4.08291255.
3. Apanga PA, Adam MA. Factors influencing the uptake of family planning services in the Talensi District, Ghana. *Pan Afr Med J*. 2015 Jan 5;20:10. doi: 10.11604/pamj.2015.20.10.5301. PMID: 25995807; PMCID: PMC4430143.
4. Schrupf LA, Stephens MJ, Nsarko NE, Akosah E, Baumgartner JN, Ohemeng-Dapaah S, Watt MH. Side effect concerns and their impact on women's uptake of modern family planning methods in rural Ghana: a mixed methods study. *BMC Womens Health*. 2020 Mar 20;20(1):57. doi: 10.1186/s12905-020-0885-0. PMID: 32192473; PMCID: PMC7082910.
5. Yeboah, I., Agyekum, M.W., Okyere, J. *et al.* Use of any contraceptive method among women in rural communities in the eastern region of Ghana: a cross-sectional study. *BMC Public Health* **23**, 1925 (2023). <https://doi.org/10.1186/s12889-023-16795-1>
6. Guure, C., Maya, E.T., Dery, S. *et al.* Factors influencing the unmet need for family planning among Ghanaian married/union women: a multinomial mixed effects logistic regression modeling approach. *Arch Public Health* **77**, 11 (2019). <https://doi.org/10.1186/s13690-019-0340-6>
7. Amoah EJ, Hinneh T, Aklie R. Determinants and prevalence of modern contraceptive use among sexually active female youth in the Berekum East Municipality, Ghana. *PLoS One*. 2023 Jun 8;18(6):e0286585. doi: 10.1371/journal.pone.0286585. PMID: 37289674; PMCID: PMC10249812.
8. Ganle, John & Baatiema, Leonard & Ayamah, Paul & Ofori, Charlotte & Ameyaw, Edward & Seidu, Abdul-Aziz & Ankomah, Augustine. (2021). Family planning for urban slums in low- and middle-income countries: a scoping review of interventions/service delivery models and their impact. *International Journal for Equity in Health*. 20. 10.1186/s12939-021-01518-y.
9. Amponsah-Tabi S, Sarbeng K, Dassah E, Peprah A, Asubonteng GO, Ankobea F, Opoku S, Senu E, Morhe ESK, Danso KA. Reproductive experiences and factors influencing contraceptive use among female head-porters in Ghana: A cross-sectional study. *Health Sci Rep*. 2023 Jun 1;6(6):e1298. doi: 10.1002/hsr.2.1298. PMID: 37275672; PMCID: PMC10233331.
10. Ghana Statistical Service (GSS), Ghana Health Service (GHS), ICF International. (2015). Ghana Demographic and Health Survey 2014. GSS, GHS, and ICF International.
11. Ahmed, Mohammed & Seid, Abdu. (2020). Association Between Exposure to Mass Media Family Planning Messages and Utilization of Modern Contraceptive Among Urban and Rural Youth Women in Ethiopia. *International Journal of Women's Health*. 12. 719–729.
12. Gupta N, Katende C, Bessinger R. Associations of mass media exposure with family planning attitudes and practices in Uganda. *Stud Fam Plann*. 2003 Mar;34(1):19-31. doi: 10.1111/j.1728-4465.2003.00019.x. PMID: 12772443.
13. Akafuah, Rhoda & Sossou, Marie-Antoinette. (2008). Attitudes toward and Use of Knowledge about Family Planning among Ghanaian Men. *International Journal of Men's Health*. 7. 109-120. 10.3149/jmh.0702.109.
14. Tazinya, R.M.A., Hajjar, J.M. & Yaya, S. Strengthening integrated sexual reproductive health and rights and HIV services programs to achieve sustainable development goals 3 and 5 in Africa. *Reprod Health* **19**, 223 (2022). <https://doi.org/10.1186/s12978-022-01535-2>
15. Blumenberg C, Hellwig F, Ewerling F, *et al* Socio-demographic and economic inequalities in modern contraception in 11 Low- and middle-income countries: an analysis of the Pma2020 surveys. *Reprod Health* 2020;17:82. doi:10.1186/s12978-020-00931-w
16. Muhoza, D. N., Rutayisire, P. C., & Umubyeyi, A. (2016). Measuring the success of family planning initiatives in Rwanda: a multivariate decomposition analysis. *Journal of Population Research*, 33, 361-377.
17. Wegs, C., Creanga, A. A., Galavotti, C., & Wamalwa, E. (2016). Community dialogue to shift social norms and enable family planning: an evaluation of the family planning results initiative in Kenya. *PLoS one*, 11(4), e0153907.
18. Babalola, S., Vondrasek, C., Brown, J., & Traoré, R. (2001). The impact of a regional family planning service promotion initiative in sub-Saharan Africa: evidence from Cameroon. *International Family Planning Perspectives*, 186-216.
19. Krenn, S., Cobb, L., Babalola, S., Odeku, M., & Kusemiju, B. (2014). Using behavior change communication to lead a comprehensive family planning program: the Nigerian Urban Reproductive Health Initiative. *Global Health: Science and Practice*, 2(4), 427-443.

20. Kissinger, P., Trim, S., Williams, E., Mielke, E., Koporc, K., & Brown, R. W. (1997). An evaluation of initiatives to improve family planning use by African-American adolescents. *Journal of the National Medical Association*, 89(2), 110.
21. RamaRao, S., & Mohanam, R. (2003). The quality of family planning programs: concepts, measurements, interventions, and effects. *Studies in family planning*, 34(4), 227-248.
22. Toure, L. B. (1996, May). Male involvement in family planning: a review of selected program initiatives in Africa. SARA.
23. Cleland, J., Bernstein, S., Ezeh, A., Faundes, A., Glasier, A., & Innis, J. (2006). Family planning: the unfinished agenda. *The lancet*, 368(9549), 1810-1827.
24. Hoke, T. H., Mackenzie, C., Vance, G., Boyer, B., Canoutas, E., Bratt, J., ... & Waceke, N. (2015). Integrating family planning promotion into the work of environmental volunteers: a population, health and environment initiative in Kenya. *International Perspectives on Sexual and Reproductive Health*, 41(1), 43-50.
25. Finkle, C., Bai, Y., Chandra-Mouli, V., O'Keefe, S., Tetui, M., Fischer, S., ... & Ohkubo, S. (2024). The Challenge Initiative: Lessons on Rapid Scale-Up of Family Planning and Adolescent and Youth Sexual and Reproductive Health Services. *Global Health: Science and Practice*, 12(Supplement 2).
26. Li, Q., Rimon, J. G., & Ahmed, S. (2019). Capitalising on shared goals for family planning: a concordance assessment of two global initiatives using longitudinal statistical models. *BMJ open*, 9(11), e031425.
27. Eliason, S., Baiden, F., Quansah-Asare, G., Graham-Hayfron, Y., Bonsu, D., Phillips, J., & Awusabo-Asare, K. (2013). Factors influencing the intention of women in rural Ghana to adopt postpartum family planning. *Reproductive health*, 10, 1-8.
28. Adjei, K. K., & Laar, A. K. (2014). Religious affiliation, religious service attendance, and contraceptive use among women in Ghana. *Journal of Religion and Health*, 53(5), 1491-1509.
29. Nonvignon, J., Novignon, J., Aikins, M., & Abbey, M. (2014). Access to healthcare and health insurance among orphaned children and adolescents: A mixed methods study from Ghana. *PloS One*, 9(8), e104512.
30. Aryeetey, R., Kotoh, A. M., & Hindin, M. J. (2013). Knowledge, Perceptions and Ever Use of Modern Contraceptives among Women in the Ga East District, Ghana. *African Journal of Reproductive Health*, 17(1), 56-66.
31. Haider, Taj & Sharma, Manoj. (2012). Barriers to Family Planning and Contraception Uptake in Sub-Saharan Africa: A Systematic Review. *International quarterly of community health education*. 33. 403-13. 10.2190/IQ.33.4.g.
32. Haldane V, Chuah FLH, Srivastava A, Singh SR, Koh GCH, Seng CK, Legido-Quigley H. Community participation in health services development, implementation, and evaluation: A systematic review of empowerment, health, community, and process outcomes. *PLoS One*. 2019 May 10;14(5):e0216112. doi: 10.1371/journal.pone.0216112. PMID: 31075120; PMCID: PMC6510456.
33. Gizaw Z, Astale T, Kassie GM. What improves access to primary healthcare services in rural communities? A systematic review. *BMC Prim Care*. 2022 Dec 6;23(1):313. doi: 10.1186/s12875-022-01919-0. PMID: 36474184; PMCID: PMC9724256.
34. Namasivayam A, Schluter PJ, Namutamba S, Lovell S. Understanding the contextual and cultural influences on women's modern contraceptive use in East Uganda: A qualitative study. *PLOS Glob Public Health*. 2022 Aug 15;2(8):e0000545. doi: 10.1371/journal.pgph.0000545. PMID: 36962757; PMCID: PMC10022157.
35. Wambete SN, Serwaa D, Dzantor EK, Baru A, Poku-Agyemang E, Kukeba MW, Bashiru Y, Olayemi OO. Determinants for male involvement in family planning and contraception in Nakawa Division, Kampala, Uganda; An urban slum qualitative study. *PLOS Glob Public Health*. 2024 May 31;4(5):e0003207. doi: 10.1371/journal.pgph.0003207. PMID: 38820444; PMCID: PMC11142587.
36. Chavula, M.P., Zulu, J.M. & Hurtig, AK. Factors influencing the integration of comprehensive sexuality education into educational systems in low- and middle-income countries: a systematic review. *Reprod Health* 19, 196 (2022). <https://doi.org/10.1186/s12978-022-01504-9>
37. Makumbi, F.E., Nabukeera, S., Tumwesigye, N.M. *et al.* Socio-economic and education related inequities in use of modern contraceptive in seven sub-regions in Uganda. *BMC Health Serv Res* 23, 201 (2023). <https://doi.org/10.1186/s12913-023-09150-y>
38. Chukwu E, Gilroy S, Adda Quay K, Jones NN, Karimu VG, Garg L, Dickson KE. Formative Study of Mobile Phone Use for Family Planning Among Young People in Sierra Leone: Global Systematic Survey. *JMIR Form Res*. 2021 Nov 12;5(11):e23874. doi: 10.2196/23874. PMID: 34766908; PMCID: PMC8663572.
39. Ouedraogo, Leopold & Habonimana, Desire & Nkurunziza, Triphonie & Asmani, Chilanga & Elamin, Hayfa & Fatim, Tall & Kidula, Nancy & Conombo, Ghislaine & Muriithi, Assumpta & Onyiah, Amaka. (2021). Towards achieving the family planning targets in the African region: a rapid review of task sharing policies. *Reproductive Health*. 18. 10.1186/s12978-020-01038-y.

CITE AS: Akello Samuel H. (2024). Women's Perspectives on Family Planning Campaigns in Ghana. RESEARCH INVENTION JOURNAL OF LAW, COMMUNICATION AND LANGUAGES 3(2):51-56.